

5.7.2023

Dnr FIMEA/2023/002528

Statement of Good Laboratory Practice Compliance

Test facility:	Berner Oy
Address:	Mustikkatie 7 79700 Heinävesi Finland
Area of Expertise:	Physical-Chemical Testing
Type of product:	Chemicals
Date of the last inspection:	6 June 2023
Decision number:	003409/06.08.00.06/2017
Date of the Statement:	5 July 2023

The above mentioned test facility is in compliance to OECD Principles of Good Laboratory Practice (GLP) and EU Directive 2004/10/EC. It is included in the national GLP Compliance Programme in Finland and inspected in regular basis according to the Medicines Act (395/1987) 76a § and Act of Chemicals in Finland (599/2013) 24 § following the processes described in the EU Directive 2004/9/EC.

Erik Peltomaa
Senior Researcher, GLP Inspector

This document is signed electronically and the signature can be verified on a separate signature page (attached).



**Asiakirjan sähköinen allekirjoitus
Elektronisk underskrift av dokument
Electronic signature of a document**

Asia / Ärende / Case:

FIMEA/2023/002528

GLP-tarkastus Berner Oy, Heinävesi

Asiakirja / Dokument / Document:

FIMEA/2023/002528-14

GLP-todistus, Berner Oy Heinävesi

Allekirjoitukset / Underskrifter / Signatures: