

5.7.2023

Dnr FIMEA/2023/002518

## Statement of Good Laboratory Practice Compliance

Test facility:	Berner Oy
Address:	Hitsaajankatu 20-24 00810 Helsinki Finland
Area of Expertise:	Physical-Chemical Testing
Type of product:	Chemicals
Date of the last inspection:	8 June 2023
Decision number:	003409/06.08.00.06/2017
Date of the Statement:	5 July 2023

The above mentioned test facility is in compliance to OECD Principles of Good Laboratory Practice (GLP) and EU Directive 2004/10/EC. It is included in the national GLP Compliance Programme in Finland and inspected in regular basis according to the Medicines Act (395/1987) 76a § and/or Act of Chemicals in Finland (599/2013) 24 § following the processes described in the EU Directive 2004/9/EC.

Erik Peltomaa  
Senior Researcher, GLP Inspector

*This document is signed electronically and the signature can be verified on a separate signature page (attached).*



**Asiakirjan sähköinen allekirjoitus**  
**Elektronisk underskrift av dokument**  
**Electronic signature of a document**

**Asia / Ärende / Case:**  
FIMEA/2023/002518  
GLP-tarkastus Oy Berner Ab, Herttoniemi

**Asiakirja / Dokument / Document:**  
FIMEA/2023/002518-15  
GLP-todistus, Berner Oy Herttoniemi

**Allekirjoitukset / Underskrifter / Signatures:**